

TECHNICAL DATASHEET

PRODUCT: SULFUR 80% SC
TYPE: SUSPENSION CONCENTRATE (SC)

DESCRIPTION

Pale yellow liquid

ACTIVE INGREDIENT

Sulfur 775 - 825 g/L (CIPAC MT18/TC/M3)

IMPURITIES

Arsenic 10 max. mg/kg (A.A.S.)

PHYSICAL PROPERTIES

pH	4.5 – 7.5		(CIPAC MT 75.3)
Density at 20°C	1,400	g/cc	(CIPAC MT 3.3)
Suspensibility	80 min.	%	(CIPAC MT 184)
Wet sieve test at 75 µm	0.1 max.	%	(CIPAC MT 185)
Persistent Foam	10 max.	mL/60 sec	(CIPAC MT 47.2)
Viscosity at 20 °C, 60 rpm	600 – 900	cP	(CIPAC MT 192)

STABILITY AFTER STORAGE

After 14 days at 54°C the producto maintains all characteristics previously indicated (CIPAC MT 46)

Revision: 02 June 2024

CIPAC: Collaborative International Pesticides Analytical Council

A.A.S.: Atomic Absorption Spectrometry

Uncontrolled copy



QUIMETAL®

CULTIVAMOS UN COMPROMISO, COSECHAMOS CONFIANZA



CONDUCTA RESPONSABLE®
QUESTRICONTROLADO
CON LA SUSTENTABILIDAD

Una empresa certificada Trinorma

San Fernando: 5672 2717 104 • Central: 562 2381 7000 • comercial@quimetal.cl • www.quimetal.cl